


BEAUFORT 				 MERLO	
					
0 <1 km/h <1 mph <0.3 m/s		7 50 - 61 km/h 31 - 38 mph 13.9 - 17.1 m/s			
1 1.1 - 5.5 km/h 1 - 3 mph 0.3 - 1.5 m/s		8 62 - 74 km/h 39 - 46 mph 17.2 - 20.7 m/s			
2 5.6 - 11 km/h 4 - 7 mph 1.6 - 3.4 m/s		9 75 - 88 km/h 47 - 54 mph 20.8 - 24.4 m/s			
3 12 - 19 km/h 8 - 12 mph 3.5 - 5.4 m/s		10 89 - 102 km/h 55 - 63 mph 24.5 - 28.4 m/s			
4 20 - 28 km/h 13 - 17 mph 5.5 - 7.9 m/s		11 103 - 117 km/h 64 - 73 mph 28.5 - 32.6 m/s			
5 29 - 38 km/h 18 - 24 mph 8.0 - 10.7 m/s		12 ≥ 118 km/h ≥ 74 mph ≥ 32.7 m/s			
6 39 - 49 km/h 25 - 30 mph 10.8 - 13.8 m/s		 MAX	 [45 km/h 28 mph 12.5 m/s]		

093728





	 X 4	P40.12 P40.13 P40.14 		 X 4	 bar - psi
 R1	400/70-20 156A8 BKT CONSTAR 400/70-20 149A8 MICHELIN POWER CL 400/70-20 14PR MITAS TR-01 405/70-20 16PR ALLIANCE A323 405/70-24 14PR MITAS MPT-01 400/70-24 14PR MITAS MPT-04 405/70-24 14PR ALLIANCE ATC323 400/70-24 158A8 BKT CONSTAR	 bar - psi	R		
	4.0 - 58 4.0 - 58 4.0 - 58 4.5 - 65 4.0 - 58 4.0 - 58 4.0 - 58 4.5 - 65				

113549





P40.14



115813



